CT30 XP MOBILE COMPUTER

Configuration Guide



SCAN HANDLE



WEARABLE







CT30 XP

CT30 XP HEALTHCARE





THE FUTURE IS WHAT WE MAKE IT

TABLE OF CONTENTS

TABLE OF CONTENTS 1

2 CT30 XP FEATURE OVERVIEW

S0703 STANDARD RANGE N6803 FLEXRANGE[™] NEAR/ FAR RANGE S0703 STANDARD RANGE NO SCANNER HEALTHCARE - N6700 GREEN LINEAR LED AIMER - STANDARD RANGE

CT30 XP CONFIGURATION MAP 5 ANDROID

6 HONEYWELL EDGE SERVICES **GOLD REPAIR SERVICES - 3 YEAR** PLATINUM REPAIR SERVICES - 3 YEAR **GOLD REPAIR SERVICES - 5 YEAR**

PLATINUM REPAIR SERVICES - 5 YEAR CT30 XP - REPAIR SERVICES COVERAGE

CT30 XP SOFTWARE 9 DEVICE CLIENT PACK

10 CT30 XP SCANNING SCAN HANDLE

Honeywell

11 CT30 XP PROTECTIVE BOOT DOCKABLE PROTECTIVE BOOT

12 CT30 XP CARRY CLIP **OPTION 1 – STANDARD CARRY CLIP**

OPTION 2 – HEALTHCARE CARRY CLIP

13 CT30 XP DESKTOP COMMUNICATIONS OPTION 1 – USB TYPE C ON-THE-GO (OTG) DESKTOP **OPTION 2 – FIXED WITH UNIVERSAL CUP**

OPTION 3 - DISPLAY BASE WITH UNIVERSAL CUP

15 CT30 XP CHARGING AND COMMUNICATION OPTION 1 - NON-BOOTED QUAD CHARGER WITH UNIVERSAL CUP **OPTION 2 - BOOTED QUAD CHARGER WITH UNIVERSAL CUP**

- 16 CT30 XP CHARGING AND COMMUNICATION OPTION 3 - NON-BOOTED 5-BAY CHARGER WITH BATTERY CUP OPTION 4 - BOOTED 5-BAY CHARGER WITH BATTERY CUP **OPTION 5 - QUAD BATTERY CHARGER** UNIVERSAL BATTERY CUP
- 18 CT30 XP HEALTHCARE CHARGING AND COMMUNICATION OPTION 1 - NON-BOOTED 5-BAY CHARGER WITH BATTERY CUP OPTION 2 - BOOTED 5-BAY CHARGER WITH BATTERY CUP **OPTION 3 - DISPLAY BASE WITH UNIVERSAL CUP OPTION 4 - QUAD BATTERY CHARGER**
- 21 CT30 XP CHARGING AND COMMUNICATION RACK / WALL MOUNT BRACKET
- 22 CT30 XP BATTERY SPARE BATTERY OPTIONS
- 23 CT30 XP RFID IH40 RFID READER WITH CT30 XP NON-BOOTED
- 24 CT30 XP RFID CHARGING

OPTION 1 - IH40 NON-BOOTED QUAD CHARGER **OPTION 2 - IH40 BOOTED QUAD CHARGER OPTION 3 - IH40 QUAD BATTERY CHARGER**

- 26 CT30 XP HEADSET USB-C CT30 XP PUSH TO TALK (PTT) HEADSET
- 27 CT30 XP WEARABLE WEARABLE KIT

28 MISCELLANEOUS OPTIONAL PARTS MICRO-SD CARDS AC CORDS

CT30 XP FEATURE OVERVIEW


S0703 Standard Range N6803 FlexRange[™] Near/ Far Range

Included in the box:

- CT30 XP Mobile Computer
- Battery (CT30P-BTSC-001)
- USB Type C (CBL-500-120-S00-06)
- Handstrap



S0703 Standard Range







CT30 XP Android - 4G WWAN 1 x eSIM & 1 x Nano SIM - WiFi 5 - S0703 - 6GB RAM/ 64GB Flash

CT30 P-L1N-37D1EDGCT30 XP Disinfectant Ready, WWAN, 6GB/64GB, 5.5 inch 2160x1080P full HD, S0703 Standard Range, 13MP
Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, 1 nano SIM & 1 eSIM, Bluetooth v5.1 & 2nd BLE,
Android GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, Push To Talk (PTT)

CT30 XP Android - 4G WWAN 1 x Nano SIM - WiFi 5 - S0703 - 6GB RAM/ 64GB Flash

CT30P-L1N-37D1NDGCT30 XP Disinfectant Ready, WWAN, 6GB/64GB, 5.5 inch 2160x1080P full HD, S0703 Standard Range, 13MP
Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, 1 nano SIM, Bluetooth v5.1 & 2nd BLE, Android
GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, Push To Talk (PTT)

CT30 XP Android - WiFi 6 Only - S0703 - 6GB RAM/ 64GB Flash

CT30P-XON-37D10DGCT30 XP Disinfectant Ready, WLAN, 6GB/64GB UFS, 5.5 inch 2160x1080P full HD, S0703 Standard Range,
13MP Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc/ax, 2x2 MIMO, Bluetooth v5.1 & 2nd BLE,
Android GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, Push To Talk (PTT)

CT30 XP Android - 4G WWAN 1 x eSIM & 1 x Nano SIM - WiFi 5 - N6803 - 6GB RAM/ 64GB Flash

CT30P-L1N-38D1EDG	CT30 XP Disinfectant Ready, WWAN, 60
	Rear Camera/8MP Front Camera,802.11a
	Android GMS, Battery, Warm Swap, IP67, I

CT30 XP Android - 4G WWAN 1 x Nano SIM - WiFi 5 - N6803 - 6GB RAM/ 64GB Flash

	CT20 VD Android - WiEi 6 Only - N69
	Camera/8MP Front Camera,802.11a/b/g/r Battery, Warm Swap, IP67, USB 3.0 Type C
CT30P-L1N-38D1NDG	CT30 XP Disinfectant Ready, WWAN, 6GB/


30P-X0N-38D10DG	CT30 XP Disinfectant Ready, WLAN, 6GI
	13MP Rear Camera/8MP Front Camera,80
	Android GMS, Battery, Warm Swap, IP67, U

Honeywell Repair Services SVCCT30XP-SG3N CT30 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract ADD SVCREPLACE-MOB3 AddOn, Edge Service, Device Replacement, Mobility, 3 Year

СТ

Honeywell

GLOBAL





GB/64GB, 5.5 inch 2160x1080P full HD, N6803 FlexRange, 13MP a/b/g/n/ac/r/k/mc, 1 nano SIM & 1 eSIM, Bluetooth v5.1 & 2nd BLE, USB 3.0 Type C OTG, Push To Talk (PTT)

3/64GB, 5.5 inch 2160x1080P full HD, N6803 FlexRange, 13MP Rear /n/ac/r/k/mc, 1 nano SIM, Bluetooth v5.1 & 2nd BLE, Android GMS, C OTG, Push To Talk (PTT)

CT30 XP Android – WiFi 6 Only – N6803 – 6GB RAM/ 64GB Flash

GB/64GB UFS, 5.5 inch 2160x1080P full HD, N6803 FlexRange, 302.11a/b/g/n/ac/r/k/mc/ax, 2x2 MIMO, Bluetooth v5.1 & 2nd BLE, USB 3.0 Type C OTG, Push To Talk (PTT)

CT30 XP FEATURE OVERVIEW

S0703 Standard Range


No Scanner


Included in the box:

- CT30 XP Mobile Computer •
- Battery (CT30P-BTSC-001) •
- USB Type C (CBL-500-120-S00-06) ٠
- Handstrap .



S0703 Standard Range







CT30P-LON-2ND10NG

CT30 XP Android - WiFi 5 Only - S0703 - 4GB RAM/ 64GB Flash

CT30 XP Disinfectant Ready, WLAN, 4GB/64GB, 5.5 inch 2160x1080P full HD, S0703 Standard Range, 13MP CT30P-L0N-27D10NG Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, BT5.1, Android GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, Push To Talk (PTT)

CT30 XP Disinfectant Ready, WLAN, 4GB/64GB, 5.5 inch 2160x1080P full HD, No Scanner, 13MP Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, BT5.1, Android GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, Push To Talk (PTT)

Honeywell Repair Services	
SVCCT30XP-SG3N	CT30 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract
ADD SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year

Honeywell



CT30 XP Android - WiFi 5 Only - No Scanner - 4GB RAM/ 64GB Flash

CT30 XP FEATURE OVERVIEW

Healthcare - N6700 Green Linear LED Aimer - Standard Range

Included in the box:

- CT30 XP Healthcare Mobile Computer .
- Healthcare Battery (CT30P-BTSC-002)

(CT30 XP Healthcare Carrying Clip is NOT included, but available to order separately as an accessory)





CT30 XP Android - 4G WWAN 1 x eSIM & 1 x Nano SIM - WiFi 5 - N6700 - 6GB RAM/ 64GB Flash

CT30P-L1N-30D1EHG CT30 XP Healthcare, WWAN, 6GB/64GB UFS, 5.5 inch 2160x1080P full HD, N6700 Standard Range, 13MP Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, 1 nano SIM & 1 eSIM, Bluetooth v5.1 & 2nd BLE, Android GMS, Battery, Warm Swap, IP67, Push To Talk (PTT)

CT30 XP Android - 4G WWAN 1 x Nano SIM - WiFi 5 - N6700 - 6GB RAM/ 64GB Flash

CT30P-L1N-30D1NHG CT30 XP Healthcare, WWAN, 6GB/64GB UFS, 5.5 inch 2160x1080P full HD, N6700 Standard Range, 13MP Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc, 1 nano SIM, Bluetooth v5.1 & 2nd BLE, Android GMS, Battery, Warm Swap, IP67, Push To Talk (PTT)

Δ

CT30P-X0N-30D10HG


CT30 XP Android - WiFi 6 Only - N6700 - 6GB RAM/ 64GB Flash


CT30 XP Healthcare, WLAN, 6GB/64GB, 5.5 inch 2160x1080P full HD, N6700 Standard Range, 13MP Rear Camera/8MP Front Camera,802.11a/b/g/n/ac/r/k/mc/ax, 2x2 MIMO, Bluetooth v5.1 & 2nd BLE, Android GMS, Battery, Warm Swap, IP67, Push To Talk (PTT)

	Honeywell Repair Services	
	SVCCT30XP-SG3N	CT30 XP, Edge Service, Gold Maintenance Contract, 3 Year, New Contract
ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year

Honeywell

GLOBAL






N6700 Standard Range



CT30 XP CONFIGURATION MAP

Android



Honeywell

/5.1 Bluetooth and BLE Supported T
ed V5.1 Bluetooth and BLE Supported T
NDS 1,2,3,4,5,7,8,12,13,14,17,19,20,25,26,28,29,30,38,39,40,41,66,71 S/EDGE QUAD-BAND (850/900/1800/1900 MHZ)
I/IEC 14443 B, ISO/IEC 15693 (IEC 18092 (Type F)
ia, Brazil, Canada, Chile, Colombia , Costa Rica, Croatia, Czech stonia, Finland, France, Germany, Greece, Guatemala, Hong Kong, sia, Mexico, Morocco , Netherlands, New Zealand, Norway, Peru, Arabia, Serbia, Singapore, Slovakia, Slovenia, South Africa, South I, Turkey, UAE, Ukraine, United Kingdom, United States of America

HONEYWELL EDGE SERVICES

CT30 XP - Repair Services

Honeywell Edge Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.

Gold Repair Services - 3 Year

The most flexible contract in the industry. The Edge Services Gold Support contract allows you to select the right coverage for your organization, including 5-Day Depot Repairs and:

Service Overview

- Repair or replacement of damaged components, wear and tear, and accidental damage.
- Flexibility to add any Add-On Service
- Android Service includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCCT30XP-SG3N	CT30 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract

Add-On Accessory Replacement Service

Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

ADD SVCACC-MOB3 AddOn, Edge Service, Accessory Service, Mobility, 3 Year. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service

Provides replacement batteries every 18 months after purchase.

ADD SVCBATTERY-MOB3 AddOn, Edge Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract

Add-On Device Replacement Service

Replacement devices should a device be damaged beyond repair.

ADD SVCREPLACE-MOB3 AddOn, Edge Service, Device Replacement, Mobility, 3 Year

Add-On Image Management Service

Ensures that when a device returns from being repaired, it has all the proper applications loaded back on the device.

ADD SVCIMAGEMGMT-MOB3 AddOn, Edge Service, Image Service, Mobility, 3 Year

Add-On Spare Management Service

Manages every aspect of your spare pool.

AddOn, Edge Service, Advanced Exchange, Mobility, **3 Year**. Customer owned spare pool, Minimum **ADD** SVCSPAREMGMT-MOB3 Purchase required, contact your local Honeywell Service Representative for more information.

Add-On 2-Day Turnaround Depot Upgrade

Upgrade your Gold Maintenance Contract from 5-Day to 2-Day turnaround at the repair depot.

AddOn, Edge Service, 2-Day Depot Upgrade, 3-Year Agreement, Requires purchase of a 3 Year Gold **ADD** SVC2DAYDEPOT-MOB3 Maintenance Contract.

Platinum Repair Services - 3 Year

The Edge Services Platinum Support contract is the only total support contract in the industry today offering 2-Day Depot Repairs or Spare Pool Management with 3-year contract, that includes:

Service Overview

- Repair or replacement of damaged components
- SVCREPLACE-MOB3 Replacement devices should a device be damaged beyond repair
- SVCACC-MOB3 Accessory replacement service
- SVCBATTERY-MOB3 - Battery replacement service
- SVCSPAREMGMT-MOB3 Spare pool management (optional, minimum quantity required)
- Telephone-based technical support
- Android Service includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION	
SVCCT30XP-SP3N	CT30 XP, Edge Service, PLATINUM, 2 Day Tur	



Honeywell

GLOBAL

rnaround, **3 Year**, New Contract

HONEYWELL EDGE SERVICES

CT30 XP - Repair Services

Honeywell Edge Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.

Gold Repair Services - 5 Year

The most flexible contract in the industry. The Edge Services Gold Support contract allows you to select the right coverage for your organization, including 5-Day Depot Repairs and:

Service Overview

- Repair or replacement of damaged components, wear and tear, and accidental damage.
- Flexibility to add any Add-On Service
- Android Service includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCCT30XP-SG5N	CT30 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 5 Year, New Contract

Add-On Accessory Replacement Service

Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

ADD SVCACC-MOB5 AddOn, Edge Service, Accessory Service, Mobility, 5 Year. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service

Provides replacement batteries every 18 months after purchase.

ADD SVCBATTERY-MOB5 AddOn, Edge Service, Battery Service, Mobility, 5 Year, 2 Replacement Battery over life of contract

Add-On Device Replacement Service

Replacement devices should a device be damaged beyond repair.

ADD SVCREPLACE-MOB5 AddOn, Edge Service, Device Replacement, Mobility, 5 Year

Add-On Image Management Service

Ensures that when a device returns from being repaired, it has all the proper applications loaded back on the device.

ADD SVCIMAGEMGMT-MOB5 AddOn, Edge Service, Image Service, Mobility, 5 Year

Add-On Spare Management Service

Manages every aspect of your spare pool.

AddOn, Edge Service, Advanced Exchange, Mobility, 5 Year. Customer owned spare pool, Minimum **ADD** SVCSPAREMGMT-MOB5 Purchase required, contact your local Honeywell Service Representative for more information.

Add-On 2-Day Turnaround Depot Upgrade

Upgrade your Gold Maintenance Contract from 5-Day to 2-Day turnaround at the repair depot.

AddOn, Edge Service, 2-Day Depot Upgrade, 5-Year Agreement, Requires purchase of a 5 Year Gold **ADD** SVC2DAYDEPOT-MOB5 Maintenance Contract.

Platinum Repair Services - 5 Year

The Edge Services Platinum Support contract is the only total support contract in the industry today offering 2-Day Depot Repairs or Spare Pool Management with 5-year contract, that includes:

Service Overview

- Repair or replacement of damaged components
- SVCREPLACE-MOB5 Replacement devices should a device be damaged beyond repair
- SVCACC-MOB5 Accessory replacement service
- SVCBATTERY-MOB5 - Battery replacement service
- SVCSPAREMGMT-MOB5 Spare pool management (optional, minimum quantity required)
- Telephone-based technical support
- Android Service includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCCT30XP-SP5N	CT30 XP, Edge Service, PLATINUM, 2 Day Turi



Honeywell

GLOBAL

naround, **5 Year**, New Contract

HONEYWELL REPAIR SERVICES

CT30 XP - Repair Services Coverage

For Best-In-Class Service



COVERAG	iΕ	PART NUMBER	DESCRIPTION
BASIC		SVCCT30XP-EXW2	CT30 XP, BASIC, 10-15 Day Turnaround, 2 Years (1 Year Factory Warranty + 1 Year Extended)
GOLD		SVCCT30XP-SG3N	CT30 XP, Edge Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract
	ADD	SVCACC-MOB3	AddOn, Edge Service, Accessory Service , Mobility, 3 Year. Service covers docks, charger cradles, scan handles and car adapter
	ADD	SVCBATTERY-MOB3	AddOn, Edge Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract
	ADD	SVCREPLACE-MOB3	AddOn, Edge Service, Device Replacement, Mobility, 3 Year
	ADD	SVCIMAGEMGMT-MOB3	AddOn, Edge Service, Image Service, Mobility, 3 Year
	ADD	SVCSPAREMGMT-MOB3	AddOn, Edge Service, Advanced Exchange, Mobility, 3 Year. Customer owned spare pool, Minimum Purchase required.
PLATINU	JM	SVCCT30XP-SP3N	CT30 XP, Edge Service, PLATINUM, 2 Day Turnaround, 3 Year, New Contract

Honeywell

CT30 XP SOFTWARE


Device Client Pack

Honeywell

The Device Client Pack (DCP) includes Launcher, Enterprise Browser, BasicTE, and Mobility Web SDK, these applications are pre-loaded on the device.

All CT30 XP units include a 1 Year DCP Termed Pre-License for initial evaluation of the DCP applications (it does NOT include a Perpetual Pre-License), after the 1 Year Term period expires, a Perpetual or Term license is required to be purchased. There are two licensing options that can be purchased for DCP:

- 1. **Perpetual License**
- 2.



CT30 XP SCANNING

Scan Handle

Use for Scan intensive applications, also compatible with using Rear Camera with Scan Handle installed. This scan handle is ONLY compatible with Non-Booted charging docks.



Side View

	PART NUMBER	DESCRIPTION
1	CT30P-SH-00	CT30 XP Scan Handle, compatible with CT30 XP without protective boot.Compatible for use with Protective Boot Home Base and Charge Base without removal.CT30P-HB-UVN-0Non-Booted Home BaseCT30P-EB-UVN-0Non-Booted Ethernet Home BaseCT30P-DB-UVN-0Non-Booted Display BaseCT30P-CB-UVN-0Non-Booted Quad Charge BaseCT30P-NB-UVN-0Non-Booted Quad Net BaseCT30P-NB-UVN-0Non-Booted Quad Net BaseCT30P-NB-UVN-0Non-Booted S-Bay Charge Base
		Not Compatible with the Protective Boot BasesCT30P-HB-UVB-0Booted Home BaseCT30P-EB-UVB-0Booted Ethernet Home BaseCT30P-DB-UVB-0Booted Display BaseCT30P-CB-UVB-0Booted Quad Charge BaseCT30P-NB-UVB-0Booted Quad Net BaseCT30-5CB-UVB-BAT-0Booted 5-Bay Charge Base

Honeywell

GLOBAL



Rear View



CT30 XP PROTECTIVE BOOT

Dockable Protective Boot

Use when protective boot is required with or without scan handle and dockable, compatible with handstrap installed.



PART NUMBER DESCRIPTION CT30P-PB-XP 1

CT30 XP protective boot. It is compatible with booted universal docks (CT30P-xx-UVB-x). A boot with the ability to expose the CT30 XP's PTT button.

Honeywell

CT30 XP CARRY CLIP

Option 1 – Standard Carry Clip

The carry clip is for use with WLAN units only, it is not compatible with WWAN units. Not Compatible with CT30P-PB-XP Protective Boot or Handstrap.

Option 2 – Healthcare Carry Clip

The carry clip is for use with WLAN units only, it is not compatible with WWAN units. Not Compatible with CT30P-PB-XP Protective Boot or Handstrap.



	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT30P-CLIP-STD	CT30 XP carrying clip. Snaps on top of CT30 XP terminal of WLAN configuration (CT30P-L0N-xxxxxxx and (CT30P-X0N-xxxxxxx). 5 pieces are included in the kit.	1	CT30P-CLIP-HC	CT30 XP healthcare carrying clip. S (CT30P-X0N-30D10HG). Built with 5 pieces are included in the kit.

Honeywell

GLOBAL



p. Snaps on top of CT30 XP healthcare terminal of WLAN configuration vith disinfectant-ready, healthcare grade plastic.

CT30 XP DESKTOP COMMUNICATIONS

Option 1 – USB Type C On-The-Go (OTG) Desktop

USB C Communication to PC/ Mac OR Charging.



	PART NUMBER	DESCRIPTION
1	CBL-500-120-S00-05	USB type A to type C, 1.2 m (3.9 ft)
2	50136024-001	KIT,5V/2A PS,5 PLUGS PACKED, ROW Includes US,UK,AU,EU,IN adapters

Option 2 – Fixed with Universal Cup

USB and optional Ethernet Communication & Single Battery Charger.



	PART NUMBER	DESCRIPTION
1A	CT30P-HB-UVN-0	Non-Booted HomeBase - Kit inclu
OR	CT30P-EB-UVN-0	Non-Booted eHomeBase – Etherr
1B	CT30P-HB-UVB-0	Booted HomeBase - Kit includes (
OR	CT30P-EB-UVB-0	Booted eHomeBase – Ethernet Ki
2	321-576-004	Cable Assembly - USB Type A to Ty
3	**	IEC C13 AC Power Cord – See Page

Honeywell

udes (CT30P-UCP-N), Dock & Power Supply, No Power Cord

rnet Kit includes (CT30P-UCP-N), Dock & Power Supply, No Power Cord

(CT30P-UCP-B), Dock & Power Supply, No Power Cord

(it includes (CT30P-UCP-B), Dock & Power Supply, No Power Cord

ype B

e 31 for Country Specific Power Cords

CT30 XP DESKTOP COMMUNICATIONS

Option 3 – Display Base with Universal Cup

Connect USB peripherals (keyboard, mouse) and External Monitor via HDMI.



	PART NUMBER	DESCRIPTION
1A	CT30P-DB-UVN-0	Non-Booted Display Dock - Kit includes (CT30P-UCP-N), Display Base & Power Supply, No Power Cord
18	CT30P-DB-UVB-0	Booted Display Dock - Kit includes (CT30P-UCP-B), Display Base & Power Supply, No Power Cord
2	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords


Honeywell

Option 1 - Non-Booted Quad Charger with Universal Cup

Chargebase – Quad Dock Charge Only Netbase – Quad Dock with Ethernet Not Compatible with CT30P-PB-XP Protective Boot

Option 2 - Booted Quad Charger with Universal Cup

Chargebase – Quad Dock Charge Only Netbase – Quad Dock with Ethernet Compatible with CT30P-PB-XP Protective Boot



	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT30P-CB-UVN-0	Non-Booted Chargebase - Kit includes Dock and Power Supply	1	CT30P-CB-UVB-0	Booted Chargebase -
OR	CT30P-NB-UVN-0	Non-Booted Netbase - For Ethernet comms, Kit includes Dock and Power Supply	OR	CT30P-NB-UVB-0	Booted Netbase - For
2	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords	2	**	IEC C13 AC Power Cor

Honeywell

e - Kit includes Dock and Power Supply For Ethernet comms, Kit includes Dock and Power Supply Ford – See Page 31 for Country Specific Power Cords

Option 3 - Non-Booted 5-Bay Charger with Battery Cup

Chargebase – Quad Dock Charge Only (4 terminals) and Quad Battery Charger (4 batteries) Not Compatible with CT30P-PB-XP Protective Boot Compatible with Scan Handle



Top View with Scan Handle installed

Option 4 - Booted 5-Bay Charger with Battery Cup

Chargebase – Quad Dock Charge Only (4 terminals) and Quad Battery Charger (4 batteries) Compatible with CT30P-PB-XP Protective Boot Not Compatible with Scan Handle



Top View with Protective Boot installed

DECODIDITION



	PARINUMBER	DESCRIPTION		PARI NUMBER	DESCRIPTION
1	CT30-5CB-UVN-BAT-0	CT30 XP Non-Booted 5 bay Universal Dock, charge up to 4 pieces of CT30 XP and 4 pieces of CT30 XP batteries. Kit includes 5 bay Universal Dock and Power Adaptor. IEC C5 Power cord must be ordered separately.	1	CT30-5CB-UVB-BAT-0	CT30 XP Booted 5 bay Ur and 4 pieces of CT30 XP b Power Adaptor. IEC C5 Po
2	**	IEC C5 AC Power Cord – See Page 31 for Country Specific Power Cords	 2	**	IEC C5 AC Power Cord – S

Honeywell

GLOBAL



Jniversal Dock, charge up to 4 pieces of CT30 XP ^o batteries. Kit includes 5 bay Universal Dock and Power cord must be ordered separately.


See Page 31 for Country Specific Power Cords

Option 5 - Quad Battery Charger

Charge up to 4 batteries simultaneously Supports Batteries: CT30P-BTSC-001 - Battery, Standard, CT30 XP DRH (3400mAh) CT30P-BTSC-002 - Battery, Standard, CT30 XP Healthcare (3400mAh)

Universal Battery Cup

Compatible with 5-Bay bases CT30-5CB-UVN-BAT-0, CT30-5CB-UVB-BAT-0 and Quad Battery Charger CT30P-QBC-0.



	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT30P-QBC-0	Quad Battery Charger - Kit includes Dock and Power Supply	1	CT30P-QBC-UCP	CT30 XP battery universa Kit includes a cup to be u
2	CT30P-BTSC-001	Battery, Standard, CT30 XP DRH (3400mAh)			
3	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords			

Honeywell

GLOBAL



ersal cup. e used for up to 4 pcs CT30 XP batteries

CT30 XP HEALTHCARE CHARGING AND COMMUNICATION

Option 1 – Non–Booted 5–Bay Charger with Battery Cup

Chargebase – Quad Dock Charge Only (4 terminals) and Quad Battery Charger (4 batteries) Not Compatible with CT30P-PB-XP Protective Boot

Option 2 – Booted 5–Bay Charger with Battery Cup


Chargebase – Quad Dock Charge Only (4 terminals) and Quad Battery Charger (4 batteries) Compatible with CT30P-PB-XP Protective Boot



Top View



Top View with Protective Boot installed




Kit Includes:
4 x CT30P-UCP-BHC
CT30 XP Cup for Booted
1 x CT30P-QBC-UCP-HC
Batteries not included.

PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
CT30-5CB-UVN-HC0	CT30 XP Non-Booted 5 bay Universal Dock, charge up to 4 pieces of CT30 XP Healthcare and 4 pieces of CT30 XP batteries. Kit includes 5 bay Universal Dock and Power Adaptor. IEC C5 Power cord must be ordered separately.	1	CT30-5CB-UVB-HC0	CT30 XP Booted 5 bay and 4 pieces of CT30 Power Adaptor. IEC C5
**	IEC C5 AC Power Cord – See Page 31 for Country Specific Power Cords	2	**	IEC C5 AC Power Cord

Honeywell

2




bay Universal Dock, charge up to 4 pieces of CT30 XP Healthcare 0 XP batteries. Kit includes 5 bay Universal Dock and C5 Power cord must be ordered separately.

rd – See Page 31 for Country Specific Power Cords

CT30 XP HEALTHCARE CHARGING AND COMMUNICATION

Option 3 – Display Base with Universal Cup

Connect USB peripherals (keyboard, mouse) and External Monitor via HDMI.




	PART NUMBER	DESCRIPTION
1 A	CT30P-DB-UVN-HC0	Non-Booted Healthcare Display Dock - Kit includes (CT30P-UCP-NHC), Display Base & Power Supply, No Power Cord
1B	CT30P-DB-UVB-HC0	Booted Healthcare Display Dock - Kit includes (CT30P-UCP-BHC), Display Base & Power Supply, No Power Cord
2	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords

Honeywell

CT30 XP HEALTHCARE CHARGING AND COMMUNICATION

Option 4 – Quad Battery Charger

Charge up to 4 batteries simultaneously Supports Batteries: CT30P-BTSC-001 - Battery, Standard, CT30 XP DRH (3400mAh) CT30P-BTSC-002 - Battery, Standard, CT30 XP Healthcare (3400mAh)




Batteries not included.

	PART NUMBER	DESCRIPTION
1	CT30P-QBC-HC0	Healthcare Quad Battery Charger - Kit includes Dock and Power Supply
2	CT30P-BTSC-002	Battery, Standard, CT30 XP Healthcare (3400mAh)
3	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords

Honeywell

Rack / Wall Mount Bracket

The Rack/Wall Mount Bracket has been optimized to work on a standard 19-inch (48cm) rack, as well as mounting directly onto a wall. Compatible with all 4-bay chargers.



Honeywell

CT30 XP BATTERY

Spare Battery Options





CT30 XP Disinfectant Ready CT30P-xxx-xxxxDx CT30P-xxx-xxxxNx CT30 XP Healthcare CT30P-xxx-xxxxxHx

	PART NUMBER	DESCRIPTION
1	CT30P-BTSC-001	CT30 XP disinfectant ready battery pack, 3400mAh, for use with CT30 XP disinfectant-ready configurations (last two digits in part number begin with D or N: CT30P-xxx-xxxxxDx or CT30P-xxx-xxxxxNx)
2	CT30P-BTSC-002	CT30 XP healthcare battery pack, 3400mAh, for use with CT30 XP healthcare configurations (last two digits in part number begin with H: CT30P-xxx-xxxxxHx)

Honeywell



CT30 XP RFID

IH40 RFID Reader with CT30 XP Non-Booted

Connect the IH40 to the CT30 XP via Bluetooth or USB. IH40 has a user accessible replaceable battery. Not compatible with CT30P-PB-XP Protective Boot





	PART NUMBER	REGION	DESCRIPTION
1	IH40-1-N003S02UK	FCC / ANZ	IH40 High-Performance UHF RFID tag reader, US Frequency Range of RFID output (902-928MHz), Includes Battery
OR	IH40-1-N003S020K	ETSI	IH40 High-Performance UHF RFID tag reader, EU Frequency Range of RFID output (865-868 MHz), Includes Battery
2	CT30P-IH40-BR		IH40 bracket for Non-Booted CT30 XP
3	50155100-001		IH25 Wrist Strap

Honeywell Repair Services

SVCIH40-SG3N

IH40, Edge Service, Gold Maintenance Contract, 3 Year, New Contract

Honeywell



CT30 XP RFID CHARGING


Option 1 – IH40 Non-Booted Quad Charger

IH40 shares the same chargers as CT40/ CT45.

Option 2 - IH40 Booted Quad Charger

IH40 shares the same chargers as CT40/ CT45. When using CT40 Booted chargers, the adapter sleeve is required to fit the IH40.





	PART NUMBER	DESCRIPTION		PART NUMBER	DESCRIPTION
1	CT40-CB-UVN-0	Non-Booted Chargebase - Kit includes Dock and Power Supply	1	CT40-CB-UVB-0	Booted Chargebase - Kit inclu
OR	CT40-NB-UVN-0	Non-Booted Netbase - For Ethernet comms, Kit includes Dock and Power Supply	OR	CT40-NB-UVB-0	Booted Netbase - For Ethernet
2	2 ** IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords		2	IH40-ADP-SLV	IH40 Adapter Sleeve for Boote
			 •	4.4	

Honeywell


GLOBAL

Booted Chargebase - Kit includes Dock and Power SupplyBooted Netbase - For Ethernet comms, Kit includes Dock and Power SupplyIH40 Adapter Sleeve for Booted CT40 cup (CT40-UCP-B) - Order 4 adapters per Charge BaseIEC C13 AC Power Cord - See Page 31 for Country Specific Power Cords

CT30 XP RFID CHARGING

Option 3 – IH40 Quad Battery Charger

IH40 shares the same chargers as EDA50/ EDA51 battery charger.



IH40 Quad Battery Charger


	PART NUMBER	DESCRIPTION
1	EDA50-QBC-0	Kit IH25/IH40/EDA50/EDA70/EDA71 Quad Battery Charger. Kit includes Dock, Power Supply, No Power Cord.
2	50129589-001	Accessory, Battery (3.8V, 4,000mAh),EDA50/51/70/71
3	**	IEC C13 AC Power Cord – See Page 31 for Country Specific Power Cords

Honeywell

CT30 XP HEADSET

USB-C CT30 XP Push To Talk (PTT) Headset

USB-C audio PTT and VoIP ready to support In-Store Communication with leading 3rd party applications. Compatible with CT30P-PB-XP Protective Boot





Honeywell


CT30 XP WEARABLE

Wearable Kit

A lightweight forearm mount for handsfree operation.

Wearable Kit - Replacement Parts

Purchase replacement armbands, rubber pads and sleds for your wearable kits.



3

Honeywell

GLOBAL

CT30P-WS-KIT-03 CT30XP Wearable kit, Spare Sled, 2 pieces per pack

Optional Parts





PART	NUMBER	DESCRIPTION

CT30P-HS-3PK CT30 XP hand strap, 3 pieces Not Compatible with Healthcare CT30 XP units.

PART NUMBER	DESCRIPTION	PART NUMBER
213-048-001	Pack of 5 CT40 / CT50 / CT60 replacement styluses.	CT30P-SP-1PK
8754-871600-20	Pack of 10 CT40 / CT50 / CT60 replacement styluses.	







PART NUMBER

825-238-001


825-237-001 POUCH, CT40/CT50/CT60/CT60 XP

DESCRIPTION

Honeywell

PART NUMBER

GLOBAL



DESCRIPTION

CT30 screen protector, 1 piece per pack. Can be used with stylus.






DESCRIPTION

CT40/CT50/CT60/CT60 XP Holster

Optional Parts

Replacement Power Supplies.



Honeywell

GLOBAL

Power Supply 12V 8.3A R7B ADS-120QL-12-3 120100E 5-Bay Charge Base (Requires IEC C5 AC Power Cord)

Optional Parts







PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CT30P-UCP-N	CT30 XP Non-Booted universal cup, to be used for CT30 XP without protective boot	CT30P-UCP-B	CT30 XP Booted universal cup, to be used for







PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
CT30P-UCP-NHC	CT30 XP Non-Booted Healthcare universal cup, to be used for CT30 XP without protective boot	CT30P-UCP-BHC	CT30 XP Booted Healthcare universal cup, to

Honeywell

GLOBAL



for CT30 XP with protective boot (CT30P-PB-XP)




, to be used for CT30 XP with protective boot (CT30P-PB-XP)

Micro-SD Cards

Honeywell Recommended – ATP Industrial Grade Micro SD Cards





AC Cords

Regional Power Cords

AC Power - C13 Type Connector

PART NUMBER	TYPE	DESCRIPTION
50117501-001	C13	POWER CORD AUSTRALIA 25
321-501-002	C13	AC Power Cord, Denmark RoH
77900508E	C13	Cable: power cord, straight, Po
321-502-002	C13	AC Power Cord, India/South A
321-500-002	C13	AC Power Cord, Japan RoHS
9000093CABLE	C13	AC POWER CABLE, C14 TYPE
77900507E	C13	Cable: power cord, straight - F
130063	C13	AC Power Cord, US RoHS



AC Power - C5 Type Connector

PART NUMBER	TYPE	DESCRIPTION
3007-4681-001	C5	C5 type power cable, USA
3007-4683-001	C5	C5 type power cable, Europe
3007-4682-001	C5	C5 type power cable, UK
3007-4684-001	C5	C5 type power cable, Australia

Why ATP Industrial Grade SD?

ATP's SIP (System-In-Packaging) manufacturing process encapsulates all exposed components and points of failure to ensure the products are fully waterproof, shockproof, and ESD (Electro-Static Discharge) proof. ATP Industrial Grade SD/SDHC Cards can withstand at least an operating/storage temperature range of at least -40 to 85 degrees Celsius. In addition to this temperature range, the cards are completely waterproof, dustproof, and ESD (Electro-Static Discharge) proof. All ATP Industrial Grade SD/SDHC cards are produced under a stringent RoHs and Green Package compliant manufacturing process to guarantee a consistent high level of build quality and performance. ATP Industrial SD cards deliver outstanding performance with read speed (seq) up to 18MB/sec and write speed (seq) up to 16MB/sec. All ATP Industrial Grade CF, SD, USB drives, and SSDs are constructed using best-in-class SLC(Single-Level Cell) components with enhanced Error Correction Code(ECC) functions and wear levelling algorithms. This results in MTBF ratings over 2 million hours and the highest write cycle lifetimes in the industry.

	PART NUMBER	DESCRIPTION
1	856-065-004	MICRO-SD CARD, 1GB , AF1GUDI, ROHS
OR	856-065-005	MICRO-SD CARD, 2GB, AF1GUDI, ROHS
OR	856-065-006	MICRO-SD CARD, 4GB , AF1GUDI, ROHS
OR	856-065-007	MICRO-SD CARD, 8GB, AF1GUDI, ROHS

Honeywell

GLOBAL



500MM,SLED CB

HS

Power cord, Europe EU, IEC320-C13, 2.5 m (8.2 ft)

Africa RoHS

E. SWITZERLAND 3-PIN

Power cord, UK, IEC320-C13, 2.5 m (8.2 ft)

Disclaimer

Honeywell International Inc. ("HII") reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language with-out prior written consent of HII.

Web Address: www.honeywellaidc.com

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Honeywell.

Thor and Mobility Edge are trademarks or registered trademarks of Honeywell International Inc. in the United States and/or other countries.

Android is a trademark or registered trademark of Google Inc. in the United States and/or other countries. Windows is a trademark or registered trademark of Microsoft Corporation.

Qualcomm and Snapdragon are trademarks or registered trademarks of Qualcomm Incorporated in the United States and/or other countries.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

All rights reserved.

For more information sps.honeywell.com

Honeywell Safety and Productivity Solutions

300 S Tryon St Suite 500 Charlotte, NC 28202 800-582-4263 www.honeywell.com



THE FUTURE IS WHAT WE MAKE IT