

# CITIZEN

## The desktop printer that makes life easy

Versatile desktop printer



### **Fast print speed**

Printing a typical courier label takes just one second with virtually instant first label printing.

### **Durable internal power supply**

All printers feature an internal mains power supply to provide the most reliable operation and avoid the problem of external power supplies.

### **Thermal Transfer**

The CL-S621 is thermal transfer using a wide variety of ribbons to print on all media types.

## CL-S621

### Other

### **Applications**

- Courier
- E-Seller
- Healthcare
- Hospitality
- Logistics / Transport
- Manufacturing
- Pharmacy
- Retail
- SME / SMB



Desktop size - industrial performance.

## TOMORROW'S PRINTING TODAY

Citizen Systems America Corporation, 363 Van Ness Way #404, Torrance, CA 90501, USA

CITIZEN SYSTEMS AMERICA CORPORATION

### Specifications

Model		CL-S621
Printing Technology	Thermal Transfer + Direct Thermal	
Resolution	203 dpi	
Print Speed (maximum)	4 inches per second (100 mm/s)	
Print Width (maximum)	4 inches (104 mm)	
Media Width (min to max)	0.5 to 4 inches (12.5 to 118 mm)	
Roll Size (max), Core Size	Inside diameter 5 inches (125 mm) External diameter 8 inches (200mm) Core size 1 inch (25mm)	
Media Thickness (min to max)	63.5 to 254 $\mu$ m	
Media Length (min to max)	0.25 to 64 inches (6.35 to 1625.6 mm)	
Media Sensor	Fully adjustable gap, notch and reflective black mark	
Main Interface	Dual Interface Serial (RS-232C), USB (version 1.1)	
Interface	Wireless LAN 802.11b and 802.11g standards, 100 metres, 64/128 bit WEP, WPA, up to 54Mbps, Ethernet (10/100 BaseT), Parallel (IEEE 1284 compliant)	
Ribbon size	2.9 inches (74mm) maximum outside diameter. 360 meter length. 1 inch (25mm) core	
Ribbon winding & type	Ink side in or out, switch selectable. Wax, Wax/Resin or Resin Type	
Ribbon system	ARCP™ automatic ribbon tension adjustment	
Mechanism	Hi-Lift™ metal mechanism with wide opening head	
Control panel	4 buttons and 4 LEDs	

### Features & Benefits

- Paper load: Durable design - Citizen's proven Hi-Lift™ all-metal mechanism
- Printing Speed: Fast print out - 6 inches per second (150 mm per second)
- Media support: Large media capacity - holds rolls up to 5 inches (127 mm)
- Ribbon options: Wide range of ribbon options - Uses up to 360 meter inside and outside wound ribbons
- Hi-Open™ case for vertical opening, no increase in footprint and safe closing.
- No more unreadable labels - the ARCP™ ribbon control technology assures clear prints.
- Low space requirement - integrated power



All-metal mechanisms for strength and durability.

<b>Model</b>	<b>CL-S621</b>
<b>Emulations (Languages)</b>	Datamax® I-Class™ & DMX400™, Cross-Emulation™ - automatic switching between Zebra® ZPL-II® and Datamax® I-Class®, DMX400, Zebra® ZPL-II®, BASIC interpreter for data stream processing
<b>Drivers and software</b>	Free-of-charge on CD with printer, including support for various platforms
<b>Flash (Non-Volatile Memory)</b>	4 MB total, 1 MB available for user
<b>Size (W x D x H) and Weight</b>	231 x 289 x 270 mm, 4.5 Kg
<b>Warranty</b>	2 years on printer. 6 months or 50 Kms printhead

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0