

CITIZEN

Citizen's answer to adaptable and dynamic printing!

Ultra-fast POS printer with under counter mounting



Front loading, front exit

With the ability to load and print media from the front, the CT-S751 is perfect for sitting beneath counter tops, alongside a cash drawer or part of a busy work station.

One of our fastest POS printers...

Bust queues by printing orders and receipts at ultra fast speeds. Printing at 350mm per second, the CT-S751 is one of our fastest POS printers.

Stylish design

The CT-S751 is ideal for premier locations where eye-catching design meets state-of-the-art POS printing. Choose between the pure white and stylish black versions to complement your EPOS system design.

CT-S751

POS, Receipt printer (thermal 3 inch / 80mm)

Applications

- Hospitality
- Retail
- Kiosk
- Kitchen
- Panel Mount



The front loading and front exit mechanism allows the CT-S751 to fit into even the tightest counter spaces.

CITIZEN

CT-S751

POS, Receipt printer (thermal 3 inch / 80mm)

Features & Benefits

- Mobile-POS ready
- ENERGY STAR® compliant
- Small footprint

Specifications

Model	CT-S751
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	350 mm/sec
Print Width (maximum)	72 mm
Media Width (min to max)	58 or 80 mm
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	53 to 85 ?m
Media Sensor	Paper end
Main Interface	USB 2.0 full speed
Interface	Bluetooth with Apple™ MFi compatibility, Serial (RS-232C compliant), Premium Wireless LAN, Compact Wireless LAN, USB with hub, Ethernet
Power supply	100 - 240V, 50/60hz
Control panel	2 buttons, 5 LEDs
Emulations (Languages)	ESC/POS™
Drivers and software	Free-of-charge from website, including support for various platforms
Flash (Non-Volatile Memory)	8MB
Size (W x D x H) and Weight	125 x 170 x 108 mm. 1.26 Kg
Cutter	Guillotine type, full and partial
Warranty	3 years



The stylish contemporary design is available in either black or white.

CITIZEN

CT-S751

POS, Receipt printer (thermal 3 inch / 80mm)

Model

CT-S751

EMC and safety standards CE, UL, C-UL, FCC, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0